



**Work Safe.
Work Smart.
Work Done.**

 **LIFT'N**
BUDDY



Lift. Lower. Go.

Lift'n Buddy.



There are hand trucks and there are lifting devices, but there's nothing like Lift'n Buddy for getting work done safely and efficiently.

Lift'n Buddy combines the best of a standard two-wheeler's durability and functionality with automatic lifting and lowering capabilities into one versatile mobile lifting device. With multiple attachments available, we can customize it for proper ergonomics for nearly any person and almost any lifting and moving job.

Getting the job done is one thing, getting it done safely is another. Lift'n Buddy will help your employees do their work while significantly minimizing the risk of injury from repetitive lifting and carrying. Factor in long-term savings on insurance premiums and worker's compensation rates, less employee downtime and fewer replacement worker training sessions, and it's easy to see how Lift'n Buddy also can boost your company's bottom line.

It lifts. It lowers. It goes. But when it comes to your business, Lift'n Buddy can do so much more.




Backs. Shoulders. Knees.

Safety.

The most important thing is to make sure that your people are safe and healthy. With Lift'n Buddy, they'll have one more tool to keep them that way. But you have to keep your company safe and healthy, too, and every injury carries with it an expense.

You're familiar with the statistics. The number of workplace injuries due to repetitive lifting, lowering and moving loads is staggering, literally costing American businesses like yours millions every year. Lift'n Buddy handles those tasks automatically, significantly reducing the potential for injuries and costly downtime.



Doing Good Work.

Standard Lift Capacity:

500 lbs.

Standard Lift Height:

36"

Standard Lift Speed:

2.4"/sec.

Options are customizable for various weight, height and speed performance.

Pack. Push. Profit.

Productivity.

Lift'n Buddy doesn't get hurt. It doesn't get tired as the shift wears on. It doesn't slow down as weeks and months of repetition and strain pile into years.

Lift'n Buddy just works, period.

With the simple flip of a switch mounted on your Lift'n Buddy, your employees can lift and lower materials to the safest and most efficient height for the task at hand. The lightweight Lift'n Buddy is easy to maneuver and comes with an on-board battery charger that requires just a simple plug-in to any wall outlet.

Put it all together, and you have a mobile lifting device that will improve your employee's productivity and your company's profit potential, day after day.



Load. Lift. Repeat.

Durability.

Go ahead. Drop Lift'n Buddy. Load it up. Attach it to your trucks. Put it through the ringer of your employees' everyday tasks. These mobile lifting devices and attachments are fabricated of durable, lightweight extruded aluminum. Within safe limits, Lift'n Buddy can take anything you throw at or on it, and it'll keep working hard for years. If your device ever needs service, we provide it directly or through our distribution network.

Gold Spine Warranty.

Lift'n Buddy adds a full year of warranty to the manufacturer's one-year warranties on the actuator and body, so you get two full years of coverage. Extended warranties are available upon request.



Consult. Customize. Carry On.

Versatility.

There's only one Lift'n Buddy, but with multiple attachments and options available, we can customize your mobile lifting devices to match your specific needs. Our technicians will work with you and recommend the ideal attachments, tires, actuator and handles for each user and application in your operation. And if we don't have precisely the right configuration, we'll custom design and fabricate one for you.



Up. Down. Done.

Put Lift'n Buddy to work for your employees and your bottom line. For a consultation or an on-site demonstration, contact us today.



701-499-5266
info@liftnbuddy.com
liftnbuddy.com

1854 NDSU Research Circle North
Fargo, ND 58102
701-499-5266
info@liftnbuddy.com
liftnbuddy.com

